

AECOM Australia Pty Ltd 17 Warabrook Boulevard Warabrook NSW 2304 PO Box 73 Hunter Region MC NSW 2310

Australia www.aecom.com

+61 2 4911 4900 tel +61 2 4911 4999 fax ABN 20 093 846 925

10 March 2020

Chris Schneider Managing Director National Ceramic Industries Australia PO Box 765 Maitland NSW 2320

Dear Chris,

Environmental Monitoring for National Ceramic Industries Australia - January 2020

Please find enclosed the documentation for the environmental monitoring carried out for National Ceramic Industries Australia during January 2020. Sampling methodology and adopted assessment criteria are detailed below.

1.0 Sampling Methodology

Sampling was performed by AECOM Australia Pty Ltd (AECOM) and sample analysis was carried out by ALS NATA accredited laboratory. All sampling and analysis was carried out in accordance with Environmental Protection Authority (EPA) approved methods with reference to the following Australian Standards:

- Monitoring of fine suspended particulates (PM₁₀) on the EPA six day cycle in accordance with:
 - AS/NZS 3580.9.6 (2015) Methods for the Sampling and Analysis of Ambient Air –
 Determination of Suspended Particulate Matter PM₁₀ High Volume Sampler with Size
 Selective Inlet Gravimetric Method.
- Monitoring of fluorides in ambient air in accordance with:
 - AS/NZS 3580.13.2 (2013) Determination of fluorides—Gaseous and acid-soluble particulate fluorides—Manual, double filter paper sampling.
- Meteorological monitoring in accordance with:
 - AS 3580.1.1 (2016) Methods for sampling and analysis of ambient air Part 1.1 Guide to siting air monitoring equipment; and
 - AS 3580.14 (2014) Methods for sampling and analysis of ambient air Part 14: Meteorological monitoring for ambient air quality monitoring.
- Monitoring of surface water quality in accordance with:
 - AS/NZS 5667.1:1998(R2016) Guidance on the design of sampling programs, sampling techniques and the preservation and handling of samples; and
 - AS/NZS 5667.4:1998(R2016) Guidance on sampling from lakes, natural and manmade.

2.0 Assessment Criteria

Suspended particulate loads are assessed against the impact assessment criteria defined in the Project Approval conditions (09_0006 – National Ceramic Industries Australia Tile Manufacturing Facility Expansion Project, 19 January 2012). The assessment criteria for PM₁₀ (particulate matter with an aerodynamic diameter of less than 10 µm) are:

- 50 μg/m³ over a 24-hour period; and
- 30 μg/m³ as an annual average.

Ambient fluoride concentrations are assessed against the guidelines defined in NSW EPA *Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (NSW EPA (2016)). The NSW EPA impact assessment criteria for ambient fluoride are:

- 2.9 μg/m³ over a 24-hour period; and
- 1.7 μg/m³ over a 7-day period.

60613063_ltr_january 20_0.docx Ref: 60613063



Surface waters are assessed in accordance with default trigger values for physical and chemical stressors for southeast Australia in the Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZG, 2018). These values are:

- pH in the range of 6.5 8.5 (Table 3.3.2 NSW Lowland River); and
- Electrical conductivity (EC) in the range of 125 2200 μS/cm (Table 3.3.3 NSW Lowland River).

3.0 **Monitoring Results**

Monitoring results for the month of January 2020 are presented in the attachments to this letter. Monitoring results for the preceding two months are also presented to demonstrate guarterly trends in

The January 2020 monitoring results show that all ambient PM₁₀ results were below the short-term impact assessment criterion (50µg/m³) as defined in the DPIE Project Approval (Schedule 3, Condition 15, Table 2):

The PM₁₀ rolling annual average concentration at the South East site remains below the Project Approval annual criterion of 30 μg/m³ with an average of 25.3 μg/m³ following the January monitoring period. The North West annual average is currently above the criteria at 37.0 μg/m³ following the completion of the January monitoring period, largely due to elevated results recorded during November and December 2019 caused by regional heavy bushfire smoke.

Fluoride results for January remain below the relevant assessment criteria at both the North West and South East monitoring sites with no exceedances of either the 24 hour or 7 day criteria this month.

The adopted ANZG 2018 guidelines for pH and conductivity are the default trigger values for slightly disturbed aquatic ecosystems in NSW lowland rivers. pH measurements for January were recorded within the ANZG guidelines except for the measurement taken on 23 January which was above the 8.5 upper limit. Importantly, Pond 4 was not observed to be discharging on any sampling occasions during January. All conductivity measurements were within the relevant ANZG guidelines for January. Water temperature was also measured weekly however no guideline is available for assessment.

The monitoring locations, monitoring results and plots can be found attached including the wind rose for January. Laboratory certificates, field sheets and calibration data along with relevant meteorology data can be provided on request.

If you require any further information, please contact Cye Buckland on 0488 777 160.

Yours faithfully,

James Enright

Scientist - Compliance Services james.enright@aecom.com

Direct Dial: +T +61 2 4911 4900 Direct Fax: +F +61 2 4911 4999

Paul Wenta Principal Scientist - Air Quality

paul.wenta@aecom.com

Mobile: +61 438 670 281 Direct Dial: +61 2 4911 4855 Direct Fax: +61 2 4911 4999

encl: Monitoring data tables and charts, monitoring locations, wind roses


AECOM in Australia and New Zealand is certified to ISO9001, ISO14001 AS/NZS4801 and OHSAS18001,

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles. AECOM may also have relied upon information provided by the Client and other third parties to prepare this document, some of which may not have been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

North West Monitoring Location - 24 hour PM10 Monitoring

North West - 24 hour PM10 Monitoring						
November 2019 to January 2020						
Monitoring Event	24-hr PM ₁₀	24-hr PM ₁₀ Criterion	PM ₁₀ Annual Average	PM ₁₀ Annual Average Criterion		
	(µg/m3)	(μg/m³)	(μg/m³)			
4-Nov-19	24.6	50	32.2	30		
10-Nov-19	23.7	50	32.2	30		
16-Nov-19	33.1	50	32.2	30		
22-Nov-19	86.4	50	32.8	30		
28-Nov-19	56.4	50	33.2	30		
4-Dec-19	101.0	50	34.1	30		
10-Dec-19	114.0	50	35.6	30		
16-Dec-19	56.0	50	36.1	30		
22-Dec-19	37.0	50	36.5	30		
28-Dec-19	25.6	50	36.6	30		
3-Jan-20	32.6	50	36.6	30		
9-Jan-20	37.6	50	36.9	30		
15-Jan-20	23.0	50	36.9	30		
21-Jan-20	38.4	50	37.2	30		
27-Jan-20	33.5	50	37.0	30		




^{*}Bold denotes exceedance

North West Monitoring Location - 7 Day Fluoride Monitoring

North West - 7 Day Fluoride Monitoring November 2019 to January 2020

Monitori	Monitoring Event		Gaseous Fluoride	Total Fluoride	7-Day Guideline Criterion
Start Date	End Date	(μg/m³ as HF at STP)			
7-Nov-19	14-Nov-19	0.049	0.026	0.075	1.7
14-Nov-19	21-Nov-19	0.043	0.097	0.140	1.7
21-Nov-19	29-Nov-19	0.062	0.201	0.263	1.7
29-Nov-19	5-Dec-19	0.056	0.101	0.157	1.7
5-Dec-19	12-Dec-19	0.156	0.266	0.422	1.7
12-Dec-19	19-Dec-19	0.068	0.385	0.453	1.7
19-Dec-19	26-Dec-19	0.024	0.083	0.107	1.7
26-Dec-19	2-Jan-20	0.018	0.018	0.036	1.7
2-Jan-20	8-Jan-20	0.014	0.067	0.081	1.7
8-Jan-20	16-Jan-20	0.015	0.071	0.086	1.7
16-Jan-20	23-Jan-20	0.010	0.002	0.012	1.7
23-Jan-20	30-Jan-20	0.026	0.192	0.218	1.7




North West Monitoring Location - 24 hour Fluoride Monitoring

North West - 24 hour Fluoride Monitoring

November 2019 to January 2020

Monitoring Event	24-hr Particulate Fluoride	24-hr Gaseous Fluoride	24-hr Total Fluoride	24-hr Total Fluoride Guideline Criterion
	(μg/m³ as HF at STP)	(μg/m³ as HF at STP)	(μg/m³ as HF at STP)	(μg/m³ as HF at STP)
4-Nov-19	0.030	0.131	0.161	2.9
10-Nov-19	0.014	0.073	0.087	2.9
16-Nov-19	0.026	0.330	0.356	2.9
28-Nov-19	0.016	0.282	0.298	2.9
30-Nov-19	0.031	0.199	0.230	2.9
4-Dec-19	0.032	0.036	0.068	2.9
10-Dec-19	0.256	0.384	0.640	2.9
16-Dec-19	0.062	0.499	0.561	2.9
22-Dec-19	0.015	0.163	0.178	2.9
28-Dec-19	0.015	0.085	0.100	2.9
3-Jan-20	0.013	0.092	0.105	2.9
9-Jan-20	0.015	0.149	0.164	2.9
15-Jan-20	0.015	0.075	0.090	2.9
21-Jan-20	0.015	0.105	0.120	2.9
27-Jan-20	0.015	0.334	0.349	2.9




South East Monitoring Location - 24 hour PM10 Monitoring

South East - 24 hour PM10 Monitoring

November 2019 to January 2020

Monitoring Event	24-hr PM ₁₀	24-hr PM ₁₀ Criterion	PM ₁₀ Annual Average	PM ₁₀ Annual Average Criterion
	(μg/m³)	(μg/m³)	(μg/m³)	
04-Nov-19	10.1	50	21.3	30
10-Nov-19	20.8	50	21.4	30
16-Nov-19	27.7	50	21.3	30
22-Nov-19	69.2	50	21.1	30
28-Nov-19	50.9	50	21.3	30
04-Dec-19	77.7	50	24.3	30
10-Dec-19	106	50	24.3	30
16-Dec-19	46.2	50	24.5	30
22-Dec-19	39.7	50	24.6	30
28-Dec-19	25.6	50	24.7	30
03-Jan-20	32.1	50	25.2	30
09-Jan-20	38.6	50	25.3	30
15-Jan-20	17.4	50	25.4	30
21-Jan-20	36.6	50	25.4	30
27-Jan-20	31.8	50	25.3	30


Bold denotes exceedance



South East Monitoring Location - 7 Day Fluoride Monitoring

South East - 7 Day Fluoride Monitoring November 2019 to January 2020

Monitoring Event		Particulate Fluoride	Gaseous Fluoride	Total Fluoride	7-Day Guideline Criterion
Start Date	End Date	(μg/m³ as HF at STP)			
7-Nov-19	14-Nov-19	0.046	0.142	0.188	1.7
14-Nov-19	21-Nov-19	0.018	0.237	0.255	1.7
21-Nov-19	29-Nov-19	0.043	0.291	0.334	1.7
29-Nov-19	5-Dec-19	0.092	0.364	0.456	1.7
5-Dec-19	12-Dec-19	0.003	0.281	0.284	1.7
12-Dec-19	19-Dec-19	0.029	0.261	0.290	1.7
19-Dec-19	26-Dec-19	0.014	0.059	0.073	1.7
26-Dec-19	2-Jan-20	0.019	0.053	0.072	1.7
2-Jan-20	8-Jan-20	0.014	0.076	0.090	1.7
8-Jan-20	16-Jan-20	0.009	0.080	0.089	1.7
16-Jan-20	23-Jan-20	0.020	0.185	0.205	1.7
23-Jan-20	30-Jan-20	0.013	0.444	0.457	1.7




South East Monitoring Location - 24 hour Fluoride Monitoring

South East - 24 hour Fluoride Monitoring

November 2019 to January 2020


Monitoring Event	24-hr Particulate Fluoride	24-hr Gaseous Fluoride	24-hr Total Fluoride	24-hr Total Fluoride Guideline Criterion
	(μg/m³ as HF at STP)	(μg/m³ as HF at STP)	(μg/m³ as HF at STP)	(μg/m³ as HF at STP)
4-Nov-19	0.020	0.238	0.258	2.9
10-Nov-19	0.019	0.132	0.151	2.9
16-Nov-19	0.022	0.383	0.405	2.9
22-Nov-19	0.050	0.212	0.262	2.9
28-Nov-19	0.118	0.185	0.303	2.9
4-Dec-19	0.092	0.479	0.571	2.9
10-Dec-19	0.047	0.710	0.757	2.9
16-Dec-19	0.021	0.356	0.377	2.9
22-Dec-19	0.021	0.285	0.306	2.9
28-Dec-19	0.360	0.180	0.540	2.9
3-Jan-20	0.023	0.259	0.282	2.9
9-Jan-20	0.021	0.264	0.285	2.9
15-Jan-20	0.020	0.151	0.171	2.9
21-Jan-20	0.022	0.533	0.555	2.9
27-Jan-20	0.021	0.476	0.497	2.9



Pond 4 Monitoring Location - Weekly pH Monitoring

Pond 4 - Weekly pH Monitoring November 2019 to January 2020

Monitoring Event	рН	ANZG pH trigger value - lower bound	ANZECC pH trigger value - upper bound	Unable to Sample
	pН	pH	pН	
7-Nov-19	8.46	6.5	8.5	
14-Nov-19	8.43	6.5	8.5	
21-Nov-19	9.40	6.5	8.5	
29-Nov-19	9.32	6.5	8.5	
5-Dec-19	7.30	6.5	8.5	
12-Dec-19	9.35	6.5	8.5	
19-Dec-19	8.19	6.5	8.5	
26-Dec-19	8.37	6.5	8.5	
2-Jan-20	8.31	6.5	8.5	
6-Jan-20	8.25	6.5	8.5	
10-Jan-20	8.20	6.5	8.5	
16-Jan-20	8.30	6.5	8.5	
23-Jan-20	9.05	6.5	8.5	
30-Jan-20	7.97	6.5	8.5	




Bold denotes guidline exceedance

Pond 4 Monitoring Location - Weekly EC Monitoring

Pond 4 - Weekly EC Monitoring November 2019 to January 2020

Monitoring Event	EC	ANZG EC trigger value - lower bound	ANZECC EC trigger value - upper bound	Unable to Sample
	μS/cm	μS/cm	μS/cm	
7-Nov-19	647	125	2200	
14-Nov-19	527	125	2200	
21-Nov-19	647	125	2200	
29-Nov-19	617	125	2200	
5-Dec-19	576	125	2200	
12-Dec-19	868	125	2200	
19-Dec-19	617	125	2200	
26-Dec-19	786	125	2200	
2-Jan-20	832	125	2200	
6-Jan-20	840	125	2200	
10-Jan-20	721	125	2200	
16-Jan-20	613	125	2200	
23-Jan-20	686	125	2200	
30-Jan-20	511	125	2200	



Pond 4 Monitoring Location - Weekly Temperature Monitoring

Pond 4 - Weekly Temperature Monitoring
November 2019 to January 2020

Monitoring Event	Temperature	Unable to Sample
Monitoring Event	°C	Unable to Sample
7-Nov-19	24.2	
14-Nov-19	27.0	
21-Nov-19	28.8	
29-Nov-19	23.4	
5-Dec-19	28.7	
12-Dec-19	29.4	
19-Dec-19	22.7	
26-Dec-19	25.3	
2-Jan-20	24.2	
6-Jan-20	27.0	
10-Jan-20	28.0	
16-Jan-20	27.5	
23-Jan-20	26.9	
30-Jan-20	31.1	

