

#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

Licence 11956

## A. Statement of Compliance - Licence Details

ALL Licence holders must check that the Licence details in Section A are correct.

If there are changes to any of these details, you must advise Environment Protection Authority (EPA) and apply as soon as possible for a variation to your Licence or for a Licence transfer.

Licence variation and transfer application forms are available on the EPA website at: http://www.epa.nsw.gov.au/licensing-and-regulation/licensing or from regional offices of the EPA, or by contacting by telephone 02 9995 5700.

If you are applying to vary or transfer your Licence, you must still complete and submit this Annual Return.

#### A1. Licence holder

Licence number : 11956

Licence holder : NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

Trading name (if applicable)

**ABN** : 83 100 467 267 **ACN** : 100 467 267

Reporting period : From: 1-8-2023 To: 31-7-2024

#### A2. Premises to which Licence Applies (if applicable)

Common name (if any) : NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

Premises : RACECOURSE ROAD RUTHERFORD 2320 NSW

#### A3. Activities to which Licence Applies

Ceramic works

#### A4. Other Activities (if applicable)

#### A5. Fee-Based Activity Classifications

Note that the fee based activity classification is used to calculate the administrative fee.

Fee-based activity	Activity scale	Unit of measure
Ceramics production	> 50,000.00 - 200,000.00	T annual production capacity

#### A6. Assessable Pollutants (if applicable)



#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

Licence 11956

**Note** that the identification of assessable pollutants is used to calculate the **load-based fee.** The following assessable pollutants are identified for the fee-based activity classifications in the licence:

#### **Ceramics production**

Coarse Particulates (Air)

Fine Particulates (Air)

Fluoride (Air)

Nitrogen Oxides (Air)

Sulfur Oxides (Air)

## **B. Monitoring and Complaints Summary**

#### **B1. Number of Pollution Complaints**

Pollution Complaint Category	Complaints
Air	0
Water	0
Noise	0
Waste	0
Other	0
Total complaints recorded by the licensee during the reporting period	0

#### **B2. Concentration Monitoring Summary**

For each concentration monitoring point identified in your licence, details are displayed below. If concentration monitoring is not required by your licence, **no data** will appear below. If data was provided from an uploaded file, the file name will be displayed below instead of any data.

**Note** that this does not exclude the need to conduct appropriate concentration monitoring of assessable pollutants as required by load-based licensing (if applicable).

#### **Discharge & Monitoring Point 1**

Discharge to Air, Dust extractor clay preparation CP1 & CP 2 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	<1	<1	<1
Molecular weight of stack gases	grams per gram mole	1	1	28.8	28.8	28.8



#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

**Licence 11956** 

Solid Particles	milligrams per cubic metre	1	1	0.086	0.086	0.086
Temperature	degrees Celsius	1	1	33.2	33.2	33.2
Velocity	metres per second	1	1	17	17	17
Volumetric flowrate	cubic metres per second	1	1	11	11	11

#### **Discharge & Monitoring Point 3**

Discharge to air, Pressing and Drying PD1 & PD2 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	2.2	2.2	2.2
Molecular weight of stack gases	grams per gram mole	1	1	28.8	28.8	28.8
Solid Particles	milligrams per cubic metre	1	1	6.3	6.3	6.3
Temperature	degrees Celsius	1	1	28.7	28.7	28.7
Velocity	metres per second	1	1	15	15	15
Volumetric flowrate	cubic metres per second	1	1	11	11	11

#### **Discharge & Monitoring Point 5**

Discharge to air, Drier D1 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	6.7	6.7	6.7
Molecular weight of stack gases	grams per gram mole	1	1	28.9	28.9	28.9
Solid Particles	milligrams per cubic metre	1	1	17	17	17



#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

**Licence 11956** 

Temperature	degrees Celsius	1	1	117	117	117
Velocity	metres per second	1	1	11	11	11
Volumetric flowrate	cubic metres per second	1	1	1.4	1.4	1.4

#### **Discharge & Monitoring Point 6**

Discharge to air, Drier D2 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	6.1	6.1	6.1
Molecular weight of stack gases	grams per gram mole	1	1	28.9	28.9	28.9
Solid Particles	milligrams per cubic metre	1	1	13	13	13
Temperature	degrees Celsius	1	1	117	117	117
Velocity	metres per second	1	1	14	14	14
Volumetric flowrate	cubic metres per second	1	1	1.7	1.7	1.7

#### **Discharge & Monitoring Point 9**

Discharge to air, Glaze line as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	2.0	2.0	2.0
Molecular weight of stack gases	grams per gram mole	1	1	28.8	28.8	28.8
Solid Particles	milligrams per cubic metre	1	1	0.84	0.84	0.84
Temperature	degrees Celsius	1	1	32	32	32



#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

**Licence 11956** 

Velocity	metres per second	1	1	14	14	14
Volumetric flowrate	cubic metres per second	1	1	9.4	9.4	9.4

#### **Discharge & Monitoring Point 10**

Discharge to air, Selection SL 1234 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	1.4	1.4	1.4
Molecular weight of stack gases	grams per gram mole	1	1	28.8	28.8	28.8
Solid Particles	milligrams per cubic metre	1	1	<0.11	<0.11	<0.11
Temperature	degrees Celsius	1	1	37	37	37
Velocity	metres per second	1	1	5.6	5.6	5.6
Volumetric flowrate	cubic metres per second	1	1	0.91	0.91	0.91

#### **Discharge & Monitoring Point 12**

Discharge to air, Spray Drier SD1 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	14.0	14.0	14.0
Molecular weight of stack gases	grams per gram mole	1	1	28.9	28.9	28.9
Solid Particles	milligrams per cubic metre	1	1	3.8	3.8	3.8
Temperature	degrees Celsius	1	1	82.9	82.9	82.9
Velocity	metres per second	1	1	19	19	19





**Licence 11956** 

Volumetric flowrate	cubic metres	1	1	18	18	18
	per second					

### **Discharge & Monitoring Point 14**

Discharge to air, Kiln KP1 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Cadmium	milligrams per cubic metre	1	1	<0.00033	<0.00033	<0.00033
Carbon dioxide	percent	1	3	0.9	1.4	1.6
Dry gas density	kilograms per cubic metre	1	3	1.29	1.29	1.30
Hazardous substances	milligrams per cubic metre	1	1	0.054	0.054	0.054
Hydrogen fluoride	milligrams per cubic metre	1	1	0.447	0.447	0.447
Mercury	milligrams per cubic metre	1	1	0.0034	0.0034	0.0034
Moisture	percent	1	3	3.6	4.3	4.9
Molecular weight of stack gases	grams per gram mole	1	3	28.9	29.0	29.0
Nitrogen Oxides	milligrams per cubic metre	1	1	43	43	43
Oxygen (O2)	percent	1	1	18.5	18.5	18.5
Solid Particles	milligrams per cubic metre	1	1	1.2	1.2	1.2
Sulfuric acid mist and sulfur trioxide (as SO3)	milligrams per cubic metre	1	1	16	16	16
Velocity	metres per second	1	3	18	18	19
Volumetric flowrate	cubic metres per second	1	3	6.9	7.1	7.5

#### **Discharge & Monitoring Point 15**

Discharge to air, Kiln KP2 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.





**Licence 11956** 

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Cadmium	milligrams per cubic metre	1	1	<0.00033	<0.00033	<0.00033
Carbon dioxide	percent	1	3	1.2	1.6	1.9
Dry gas density	kilograms per cubic metre	1	3	1.29	1.30	1.30
Hazardous substances	milligrams per cubic metre	1	1	0.09	0.09	0.09
Hydrogen fluoride	milligrams per cubic metre	1	1	2.316	2.316	2.316
Mercury	milligrams per cubic metre	1	1	0.0029	0.0029	0.0029
Moisture	percent	1	3	4.0	5.5	6.3
Molecular weight of stack gases	grams per gram mole	1	3	28.9	29.0	29.0
Nitrogen Oxides	milligrams per cubic metre	1	1	36	36	36
Oxygen (O2)	percent	1	1	18.1	18.1	18.1
Solid Particles	milligrams per cubic metre	1	1	2.6	2.6	2.6
Sulfuric acid mist and sulfur trioxide (as SO3)	milligrams per cubic metre	1	1	10	10	10
Velocity	metres per second	1	3	20	20	21
Volumetric flowrate	cubic metres per second	1	3	7.7	7.9	8.1

#### **Discharge & Monitoring Point 18**

Discharge to air, Hot air cooling HAC1 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	1.2	1.2	1.2
Molecular weight of stack gases	grams per gram mole	1	1	28.8	28.8	28.8



#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

Licence 11956

Solid Particles	milligrams per cubic metre	1	1	0.073	0.073	0.073
Temperature	degrees Celsius	1	1	171	171	171
Velocity	metres per second	1	1	11.0	11.0	11.0
Volumetric flowrate	cubic metres per second	1	1	5.1	5.1	5.1

#### **Discharge & Monitoring Point 19**

Discharge to air, Hot air cooling HAC2 as shown on Figure Titled: Plant Emission Locations and Air Quality Controls dated 17 July 2003.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Dry gas density	kilograms per cubic metre	1	1	1.29	1.29	1.29
Moisture content	percent	1	1	<1.0	<1.0	<1.0
Molecular weight of stack gases	grams per gram mole	1	1	28.8	28.8	28.8
Solid Particles	milligrams per cubic metre	1	1	0.16	0.16	0.16
Temperature	degrees Celsius	1	1	147.1	147.1	147.1
Velocity	metres per second	1	1	9.1	9.1	9.1
Volumetric flowrate	cubic metres per second	1	1	6.7	6.7	6.7

#### **Monitoring Point 22**

Ambient Air Monitoring - PM 10, PM 10 monitoring locations as shown on diagram titled "Proposed ambient air quality monitoring sites - PM 10, HF and meteorological monitoring". Dated 20 January 2004

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
PM10	micrograms per cubic metre	122	121	3.8	18.0	71.0

#### **Monitoring Point 23**





**Licence 11956** 

Ambient Air Monitoring - Fluoride compounds, HF monitoring locations as shown on diagram titled "Proposed ambient air quality monitoring sites - PM 10, HF and meteorological monitoring". Dated 20 January 2004.

Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value
Hydrogen fluoride	micrograms per cubic metre	122	120	0.01	0.24	2.18

#### **B3. Volume or Mass Monitoring Summary**

For each volume or mass monitoring point identified in your licence, details are displayed below. If volume or mass monitoring is not required by your licence, **no data** will appear below.

If data was provided from an uploaded file, the file name will be displayed below instead of any data. **Note** that this does not exclude the need to conduct appropriate volume or mass monitoring of assessable pollutants are required by load-based licensing (if applicable).

## C. Statement of Compliance - Licence Conditions

#### C1. Compliance with Licence Conditions

Were all conditions of the licence complied with (including monitoring	Yes
and reporting requirements)?	

# D. Statement of Compliance - Load Based Fee Calculation

If you are not required to monitor assessable pollutants by your licence, no data will appear below.

If assessable pollutants have been identified on your licence, the following worksheets for each assessable pollutant will determine your load based fee for the licence fee period to which this Annual Return relates.

Loads of assessable pollutants must be calculated using any of the methods provided in EPA's Load Calculation Protocol for the relevant activity. A Load Calculation Protocol would have been already sent to you with your licence. If you require additional copies, you can download the Protocol from the EPA's website or you can contact us on telephone 02 9995 5700.

You are required to keep all records used to calculate licence fees for four years after the licence fee was paid or became payable, whichever is the later date.





**Licence 11956** 

Assessable Pollutant				le	Actual Load F		Pollutant Fee	
Coarse Particulates discl	harged to	Air	1774.0		1774.0		\$175.15	
Load based licence activity	Actual quantity	Actual load (Calc method)	ulation	Weig	ghted Load (Calcula nod)	ation	Agreed load	
Ceramics production	92335	1774 (Source mon Method: TM15)	itoring,					
Fine Particulates dischar	ged to Air		3574.0		3574.0		\$2,450.42	
Load based licence activity	Actual quantity	Actual load (Calc method)	ulation	Weighted Load (Calculation method)		ation	Agreed load	
Ceramics production	92335	3574 (Source mon Method: OM15)	itoring,					
Fluoride discharged to A	ir		630.0		630.0		\$290.27	
Load based licence activity	Actual quantity	Actual load (Calc method)	ulation	Weig	ghted Load (Calcula nod)	ation	Agreed load	
Ceramics production	92335	630 (Source monit Method: TM9)	oring,					
Nitrogen Oxides discharg	ged to Air		17823.0	'	17823.0		\$1,759.66	
Load based licence activity	Actual quantity	Actual load (Calc method)	ulation	Weig	ghted Load (Calcula nod)	ation	Agreed load	
Ceramics production	92335	17823 (Source mo Method: TM11)	nitoring,					
Sulfur Oxides discharged	d to Air		5446.0		5446.0		\$65.72	
Load based licence activity	Actual quantity	Actual load (Calc method)	ulation	Weig	ghted Load (Calcula nod)	ation	Agreed load	
Ceramics production	92335	5446 (Source mon Method: TM3)	itoring,					

# E. Statement of Compliance - Requirement to Prepare PIRMP



#### NATIONAL CERAMIC INDUSTRIES AUSTRALIA PTY LTD

**Licence 11956** 

Have you prepared a Pollution Incident Response Management Plan (PIRMP) as required under section 153A of the Protection of the Environment Operations (POEO) Act 1997?				
Is the PIRMP available at the premises?				
Is the PIRMP available in a prominent position on a publicly accessible website?				
Address of the web page where the	PIRMP can be accessed ▼			
https://www.nationalceramicindus	stries.com.au/social-responsibility/			
Has the PIRMP been tested?		Yes		
The PIRMP was last tested on	20-7-2024			
Has the PIRMP been updated?		No		
Number of times the PIRMP was activated in this reporting period?				
The PIRMP was activated on				

# F. Statement of Compliance - Requirement to Publish Pollution Monitoring Data

Are there any conditions attached to your licence that require pollution monitoring to be undertaken as required under section 66(6) of the Protection of the Environment Operations (POEO) Act 1997?	Yes			
Do you operate a website?	Yes			
Is the pollution monitoring data published on your website in accordance with the EPA's written requirements for publishing pollution monitoring data?	Yes			
Address of the web page where the pollution monitoring data can be accessed ▼				
https://www.nationalceramicindustries.com.au/social-responsibility/				

# **G. Statement of Compliance - Environment Management System and Practices**

Do you have an ISO 14001 certified Environmental Management System (EMS) OR any other system that EPA considers is equivalent to the accountability, procedures, documentation and record keeping requirements of an ISO 14001 certified EMS?	No
Have you conducted an assessment of your activities and operations to identify the aspects that have a potential to cause environmental impacts and implemented operational controls to address these aspects?	Yes
Have you established and implemented an operational maintenance program, including preventative maintenance?	Yes
Do you keep records of regular inspections and maintenance of plant and equipment?	Yes





Licence 11956

Do you conduct regular (at least yearly) environmental audits at the premises that are conducted by a competent and independent person?	No
Have you undertaken an independent environmental audit covering documented environmental practices, procedures and systems in place during the annual return period?	Yes
Have you established and implemented an environmental improvement or management plan?	Yes
Do you train staff in environmental issues that may arise from your activities and operations at the premises and keep records of this?	Yes

# H. Signature and Certification

This Annual Return may only be signed by person(s) with legal authority to sign it as set out in following categories: an Individual, a Company, a Public authority or a Local council.

It is an offence under section 66 of the Protection of the Environment Operations Act 1997 to supply any information in this form that is false or misleading in a material respect, or to certify a statement that is false or misleading in a material respect. There is a maximum penalty of \$250,000 for a corporation and \$120,000 for an individual.

#### I/We

- declare that the information in the Monitoring and Complaints Summary in Section B of this Annual Return application is correct and not false or misleading in a material respect, and
- certify that the information in the Statement and Compliance in sections A, C, D, E, F, G and H and
  any other pages attached to Section C is correct and not false or misleading in a material respect.